




Level 1: A layer of rubber is added between the tread portion and the carcass ply to increase puncture protection and serve as a wear indicator.





Defender





Level 3: Lightweight and cut-resistant mesh interwoven fabric allows tires to provide good puncture resistance without adding excessive weight, reducing the risk of punctures.





Level 4: The same as Defender Cobweb, with additional bead to bead protection.



5

6



Level 5: A 3.0mm thick elastic layer comprising special high-resilience rubber. When encountering puncture, the foreign body is discharged to avoid further puncture damage.







Level 6: The double combined protective layer, which combines the advantages of Defender Rebound3 and Defender Cobweb, and greatly improves the puncture resistance of the tire.





Level 7: A 5.0mm thick elastic layer comprising special high-resilience rubber. When encountering puncture, the foreign body is discharged to avoid further puncture damage.



2 Anti-Puncture Levels

> E-Moped/Fat Tire Fun and practical – tires for the newest trend in cycling.

City/Commuter Bicycle tires for the daily routine.

Road 20 Road tires for leisure, training or serious competition – CST has it all.

Gravel/Dirt 28 Built to handle the everchanging conditions.

34 Mountain Hardpack, loose or dirt – CST has the right tread patterns.

> BMX Tires for the track, street or park.

Inner Tubes 56

4

10

52

Standard, superlight, downhill, self-sealing or thorn resistant tubes.





	NEW	flo inter provid perfect Experien comfort th journey, ma	enthusia Enhance anti-punctu A4 ensures tts, keeping truptions. Its des optimal for urban of ice the supe at the Ambr king it the ic seeking rel n roadway	asts who value d with our Defe ure technology robust protection you riding lon s wide tread de traction and si and suburban te rior handling of ro A4 brings to deal choice for iability and sm s.	r, the Ambro on against ger without esign tability, terrains. and o every r	TAMBRO	9.0			Chros	NEW	a exi varie	Ideal f demand this tire fe anti-punctu ggressive tr cellent grip ety of surfac	for e-moped e d reliability and atures Defend ire technology ead pattern er and stability o ces.	er Mix . The wide, nsures				
ITEM	INCH	ETRTO TPI	BEAD W	/EIGHT (g)		MAX PSI	COLOUR	E-BIKE	TECH	ITEM	INCH	ETRTO TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	E-BIKE	TECH
TBA	20X4.50	115-406 60	Wire	1700	Single	30	Black	50km/h	FI1.5mmTU2	TB00452600	20X4.0	100-406 60	Wire	1278	Dual	30	Black	50km/h	FI1.5+1PCO
										TB00477600	26X4.0	100-559 60	Wire	1764	Dual	30	Black	50km/h	FI1.5+1PCO





COMPOUND	MAX PSI	COLOUR	E-BIKE	TECH
Single	30	Black	50km/h	FI1.5mm
Dual	30	Black		TU2

Tailored for e-moped, the CST Scout is a high performance tire with a compound pattern for road and cyclocross. The wide grounding pattern can provide excellent grip and stability when on the road, while the transvers and longitudinal knobs can have great acceleration and braking performance together with cyclocross traction in harsh conditions. The tailor-made turn-up structure and FI fiber anti-puncture protection in the casing make your cycling more comfortable and safe. Special rubber is used on the tread to make a great balance between grasp and rolling resistance.

STSCOL



CEB.OJ



ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	E-BIKE	TECH
TB00477700	20X4.00	100-406	60	Wire	1675	Single	30	Black	50km/h	FI1.5mm
TB00535200	20X4.00	100-406	60	Wire	1670	Single	30	Black	50km/h	FI1.5mm TU2









Expand your horizons beyond the city center with the Platinum-E tire. Designed to excel on various urban surfaces, this rigid tire offers exceptional handling capabilities. Building upon the success of its non-electric counterpart, the Platinum Protector, which was crowned as the best buy in a 2021 edition of a renowned German Magazine, we have now developed a successor specifically tailored for e-bikes.

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00483000	28X1.60	42-622	700X40C	27	Wire	795	Single	75	Black	EPS
TB00462600	28X1.75X2	47-622		27	Wire	820	Single	75	Black	EPS
TB00455300	28X2.00	50-622		27	Wire	1020	Single	65	Black	EPS
TB00455400	28X2.15	55-622		27	Wire	1130	Single	65	Black	EPS



CST introduces a new tire for the ones who love their bike and want the best. The Platinum Performance puts the accent on "perfomance". A 27 TPI carcass with a Defender Cobweb layer for ultimate anti-puncture protection and top comfort. Not only the Cobweb layer, but also the rubber compound is special. The compound on the sidewall is extremely strong and long lasting. On the central part we have chosen a compound specially made to ride faster. This tire is the ultimate choice for e-bikes, but also for lightweight sport bikes. PROTECTION LEVEL Defender

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB90606200	28X1 5/8 X 1 3/8	37-622	700X35C	27	Wire	760	Dual	75	Black	EPS
TB00035700	28X1.50	40-622	700X38C	27	Wire	765	Single	75	Black	EPS









ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	load	COLOUR	TECH
TBA	26X2.40	60-559	60	Wire	1500	Dual	65	160	Black	EPS+HL20

For e-bikes up to 50km/h, the Wattsup Allround tire is the epitome of puncture protection, perfect for both extensive bike tours and daily commutes. This tire combines two cutting-edge puncture protection technologies to deliver exceptional defence against damage and flat tires. The rubber protection belt expertly redirects sharp objects, preventing them from piercing the tube and causing punctures. With its reinforced carcass boasting 60 TPI (Threads Per Inch), the Wattsup Allround tire not only enhances balance but also stabilises the extra-thick protection belt.

Defender

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD
TB00320800	26X1.75	47-559		27	Wire
	26X1.75	47-559		60	Wire
	28X1 5/8 X 1 3/8	37-622		27	Wire
TB00321200	28X1 5/8 X 1 3/8	37-622		60	Wire
TB00321000	28X1.50	40-622	700X38C	27	Wire
TB00321300	28X1.50	40-622	700X38C	60	Wire

CIC.01


C/C

The Wattsup Dynamic tire is the ultimate puncture protection tire designed for e-bikes with a maximum speed of 50km/h. Whether you're embarking on extended bike tours or simply commuting to work, this tire offers unparalleled protection against damage and flat tires. It combines two highly effective puncture protection materials, ensuring optimal safeguarding.



ITEM	INCH	etrto	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00407500	26X1.75	47-559		27	Wire	945	Single	75	Black	LDP3mm
TB00413700	26X1.75	47-559		60	Wire	915	Single	75	Black	LDP3mm+EPS
TB00407300	28X1 5/8 X 1 3/8	37-622		27	Wire	835	Single	75	Black	LDP3mm
TB00407900	28X1 5/8 X 1 3/8	37-622		60	Wire	770	Single	75	Black	LDP3mm+EPS
TB00336100	28X1.50	40-622	700X38C	27	Wire	870	Single	75	Black	LDP3mm
TB00385200	28X1.50	40-622	700X38C	60	Wire	845	Single	75	Black	LDP3mm+EPS
TB00407400	28X1.75X2	47-622		27	Wire	1075	Single	75	Black	LDP3mm
TB00407700	28X1.75X2	47-622		60	Wire	1040	Single	75	Black	LDP3mm+EPS
TB00432200	28X2.00	50-622		60	Wire	1100	Single	65	Black	LDP3mm+EPS







Defender



	NEW	R a ti smoo TPI co excepti everyday	Xpedium lir and upgrade riders. Featurin tebound techno hing of the pas oth commutes. Instruction, the X onal handling y urban advent ur ride with sec on.	um GT enhances our r ne with a new tread po ed performance for cit ng our advanced Defe ology, punctures are no t, ensuring reliable and With a sturdy 30 Xpedium GT offers and durability for ures. Ready to amless efficiency	attern y nder early d		
ITEM	INCH I	etrto French	I SIZE   TPI   I	BEAD WEIGHT (g)	COMPOUND MAX P	SI LOAD	

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	load	COLOUR	TECH
TB00152900	28X1.625	44-622	700X44C	30	Wire	1100	Single	65	100	Black	LDP3mm
TB00256900	28X1.75	47-622	700X47C	30	Wire	1080	Single	65	100	Black	LDP3mm
TB00291500	28X2.00	50-622	700X50C	30	Wire	1170	Single	65	100	Black	LDP3mm



Your cargo bike is a real workhorse. You need to deliver the load quickly – but you want to do it in reasonable comfort too. Our urban tire, the Brooklyn, is the perfect tire for cargo bikes. The thick anti-puncture layer, the stiffened sidewalls and the ideal natural suspension characteristics mean that you're still fit at the end of a long workday.





ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	load	COLOUR	TECH
TB00369900	20X2.15	55-406	60	Wire	730	Single	65	125	Black	EPS HL15
TB00384400	20X2.15	55-406	60	Wire	865	Single	65	140	Black	EPS HL20
TB00370000	26X2.15	55-559	60	Wire	1095	Single	65	130	Black	EPS HL15
TB00384500	26X2.15	55-559	60	Wire	1245	Single	65	150	Black	EPS HL20
TB00370100	26X2.40	60-559	60	Wire	1155	Single	65	135	Black	EPS HL15
TB00384600	26X2.40	60-559	60	Wire	1305	Single	65	160	Black	EPS HL20
TB00051700	27.5 X2.00	50-584	27	Wire	975	Single	65	95	Black	LDP3mm
TB00107800	28X1.50	40-622	30	Wire	865	Single	75	100	Black	EPS BTB
TB00051800	29 X2.00	50-622	27	Wire	1025	Single	65	80	Black	EPS BTB



nder			Defender REBOUND 3.mm	E-BIKE
	_	 		

The CST Xpedium line has options for every commuting preference, with a wide range of puncture protections, compound types and sizes available. The versatile Xpedium tread pattern provides dependable, predictable traction in a variety of conditions. The Xpedium One is built to take riders to work or on a relaxing bike ride – without punctures and without overloading your budget. Available with 27 TPI and our Defender Safe puncture protection, the Xpedium One is sure to get you to your destination again and again.

C/880


Defender Defender 🐚 Defender

TB65689000     26X1.75     47.559     27     Wire     850     Single     75     Black     APL       TB65689100     26X1.75     47.559     32     Wire     1075     Single     75     Black     LP3mm       TB65689200     26X1.75     47.559     60     Wire     735     Single     75     Black     EPS       TB65689300     26X1.75     47.559     60     Foldable     715     Dual     75     Black     EPS+APL       TB65689300     28X15/xX11/x     28-622     20     Wire     630     Single     100     Black     LPP       TB87238200     28X15/xX11/x     28-622     20     Wire     650     Single     100     Black     APL       TB87238200     28X15/xX11/x     28-622     27     Wire     650     Single     75     Black     APL       TB89358000     28X15/xX11/x     32-622     70     Wire     750     Single     75     Black     APL       TB89358100	ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB65689200     26X1.75     47-559     60     Wire     735     Single     75     Black     EPS       TB65689300     26X1.75     47-559     60     Foldable     715     Dual     75     Black     EPS+APL       TB65689500     26X1.75     47-559     60     Foldable     715     Dual     75     Black     EPS+APL       TB65689500     28X1.5%X11/8     28-622     700X25C     60     Wire     500     Single     100     Black     APL       TB87238200     28X15%X11/8     28-622     20     Wire     650     Single     100     Black     APL       TB87338300     28X15%X11/8     28-622     20     Wire     650     Single     75     Black     APL       TB8935800     28X15%X11/4     32-622     27     Wire     580     Single     75     Black     LPP       TB9058800     28X15%X11/4     32-622     700X35C     27     Wire     540     Single     75     Black     LPP<	TB65689000	26X1.75	47-559		27	Wire	850	Single	75	Black	APL
TB     565689300     26X1.75     47-559     60     Wire     780     Single     75     Black     EPSRB       TB     65689500     26X1.75     47-559     60     Wire     630     Single     115     Black     EPSBTB       TB     26-622     700X25C     60     Wire     630     Single     100     Black     APL       TB     28X159X11/8     28-622     20     Wire     650     Single     100     Black     APL       TB     28X159X11/8     28-622     20     Wire     625     Single     75     Black     APL       TB     28X159X11/4     32-622     20     Wire     780     Single     75     Black     APL       TB     32-622     700X35C     27     Wire     780     Single     75     Black     LDP       TB     9058400     28X159X11/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS  <	TB65689100	26X1.75	47-559		32	Wire	1075	Single	75	Black	LDP3mm
TB 65689500     26X1.75     47-559     60     Foldable     715     Dual     75     Black     EPSBTB       TB 86601100     25-622     700X25C     60     Wire     630     Single     115     Black     LDP       TB 87238200     28X15/8X11/8     28-622     20     Wire     550     Single     100     Black     APL       TB 87238200     28X15/8X11/8     28-622     60     Wire     690     Single     100     Black     APL       TB 89358200     28X15/8X11/4     32-622     20     Wire     690     Single     75     Black     APL       TB 89358200     28X15/8X11/4     32-622     27     Wire     595     Single     75     Black     APL       TB 90588400     28X15/8X11/4     32-622     700X35C     27     Wire     700     Single     75     Black     LDP       TB 90588400     28X15/8X13/8     37-622     700X35C     60     Wire     640     Single     75     Black	TB65689200	26X1.75	47-559		60	Wire	735	Single	75	Black	EPS
TB8660110     25.622     700X25C     60     Wire     630     Single     115     Black     LDP       TB87238300     28X1 \$\nother X11\ns     28.462     20     Wire     560     Single     100     Black     APL       TB8723800     28X1 \$\nother X11\ns     28.462     20     Wire     650     Single     100     Black     APL       TB8732800     28X1 \$\nother X11\ns     28.422     20     Wire     650     Single     75     Black     APL       TB8935800     28X1 \$\nother X11\ns     32.422     27     Wire     595     Single     75     Black     EPS       TB8935800     28X1 \$\nother X11\ns     37-622     700X35C     27     Wire     700     Single     75     Black     LDP       TB9058800     28X1 \$\nother X11\ns     37-622     700X35C     60     Wire     640     Single     75     Black     LDP       TB9058800     28X1 \$\nother X11\ns     37-622     700X35C     60     Wire     755	TB65689300	26X1.75	47-559		60	Wire	780	Single	75	Black	EPS+APL
TB87238300     28X15/8X11/8     28-622     20     Wire     560     Single     100     Black     APL       TB87238200     28X15/8X11/8     28-622     27     Wire     550     Single     100     Black     APL       TB87238100     28X15/8X11/8     28-622     60     Wire     690     Single     100     Black     LDP       TB8935800     28X15/8X11/4     32-622     27     Wire     580     Single     75     Black     APL       TB8935800     28X15/8X11/4     32-622     27     Wire     595     Single     75     Black     APL       TB89358100     28X15/8X11/4     32-622     700X35C     27     Wire     700     Single     75     Black     LDP       TB90588400     28X15/8X13/8     37-622     700X35C     32     Wire     640     Single     75     Black     LDP3mm       TB90588300     28X15/8X13/8     37-622     700X35C     60     Wire     755     Single     75	TB65689500	26X1.75	47-559		60	Foldable	715	Dual	75	Black	EPSBTB
TB87238200     28X1 <sup>3</sup> / <sub>7</sub> KX1 <sup>1</sup> / <sub>8</sub> 28-622     27     Wire     550     Single     100     Black     APL       TB87238100     28X1 <sup>5</sup> / <sub>7</sub> KX1 <sup>1</sup> / <sub>8</sub> 28-622     60     Wire     690     Single     100     Black     LDP       TB89358300     28X1 <sup>5</sup> / <sub>7</sub> KX1 <sup>1</sup> / <sub>4</sub> 32-622     20     Wire     625     Single     75     Black     APL       TB8935800     28X1 <sup>5</sup> / <sub>7</sub> KX1 <sup>1</sup> / <sub>4</sub> 32-622     27     Wire     595     Single     75     Black     APL       TB89358100     28X1 <sup>5</sup> / <sub>7</sub> KX1 <sup>1</sup> / <sub>4</sub> 32-622     700X35C     27     Wire     780     Single     75     Black     LPP       TB90588100     28X1 <sup>5</sup> / <sub>7</sub> KX1 <sup>3</sup> / <sub>8</sub> 37-622     700X35C     32     Wire     640     Single     75     Black     LP3mm       TB90588100     28X1 <sup>5</sup> / <sub>7</sub> KX1 <sup>3</sup> / <sub>8</sub> 37-622     700X35C     60     Wire     640     Single     75     Black     EPS+HP1       TB00150700     28X1 <sup>5</sup> / <sub>8</sub> X1 <sup>3</sup> / <sub>8</sub> 37-622     700X35C <td< td=""><td>TB86601100</td><td></td><td>25-622</td><td>700X25C</td><td>60</td><td>Wire</td><td>630</td><td>Single</td><td>115</td><td>Black</td><td>LDP</td></td<>	TB86601100		25-622	700X25C	60	Wire	630	Single	115	Black	LDP
TB87238100     28X15/sX11/s     28-622     60     Wire     690     Single     100     Black     LDP       TB89358300     28X15/sX11/4     32-622     20     Wire     625     Single     75     Black     APL       TB89358200     28X15/sX11/4     32-622     27     Wire     580     Single     75     Black     APL       TB8935800     28X15/sX11/4     32-622     27     Wire     595     Single     75     Black     LDP       TB90588400     28X15/sX11/4     32-622     700X35C     27     Wire     700     Single     75     Black     LDP       TB90588100     28X15/sX13/s     37-622     700X35C     32     Wire     805     Single     75     Black     EPS       TB90588200     28X15/sX13/s     37-622     700X35C     60     Wire     640     Single     75     Black     EPS+LP3       TB90588200     28X15/sX13/s     37-622     700X35C     60     Wire     735     Single <td>TB87238300</td> <td>28X15/8X11/8</td> <td>28-622</td> <td></td> <td>20</td> <td>Wire</td> <td>560</td> <td>Single</td> <td>100</td> <td>Black</td> <td>APL</td>	TB87238300	28X15/8X11/8	28-622		20	Wire	560	Single	100	Black	APL
TB89358300     28X15/8X11/4     32-622     20     Wire     625     Single     75     Black     APL       TB8935800     28X15/8X11/4     32-622     27     Wire     580     Single     75     Black     APL       TB8935800     28X15/8X11/4     32-622     27     Wire     595     Single     75     Black     LPP       TB90588400     28X15/8X11/4     32-622     700X35C     27     Wire     700     Single     75     Black     APL       TB90588100     28X15/8X13/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS       TB90588200     28X15/8X13/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS+LP3mm       TB00588200     28X15/8X13/8     37-622     700X35C     60     Fvire     640     Single     75     Black     EPS+LP3mm       TB9058800     28X15/8X13/8     37-622     700X35C     60     Fvire <td< td=""><td>TB87238200</td><td>28X1 <sup>5</sup>/8 X 1 <sup>1</sup>/8</td><td>28-622</td><td></td><td>27</td><td>Wire</td><td>550</td><td>Single</td><td>100</td><td>Black</td><td>APL</td></td<>	TB87238200	28X1 <sup>5</sup> /8 X 1 <sup>1</sup> /8	28-622		27	Wire	550	Single	100	Black	APL
TB89358200     28X1 5/8 X1 1/4     32-622     27     Wire     580     Single     75     Black     APL       TB89358600     28X1 5/8 X1 1/4     32-622     27     Wire     595     Single     75     Black     EPS       TB89358100     28X1 5/8 X1 1/4     32-622     60     Wire     780     Single     75     Black     LDP       TB90588400     28X1 5/8 X1 1/4     32-622     700X35C     32     Wire     805     Single     75     Black     APL       TB90588100     28X1 5/8 X1 3/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS       TB90588000     28X1 5/8 X1 3/8     37-622     700X35C     60     Wire     795     Single     75     Black     EPS+HD       TB00150700     28X1 5/8 X1 3/8     37-622     700X35C     60     Wire     735     Single     75     Black     EPS+HD       TB9396200     40-622     700X35C     60     Wire     735	TB87238100	28X1 5/8 X 1 1/8	28-622		60	Wire	690	Single	100	Black	LDP
TB89358600     28X15/8X11/4     32-622     27     Wire     595     Single     75     Black     EPS       TB89358100     28X15/8X11/4     32-622     700X35C     27     Wire     700     Single     75     Black     LDP       TB90588400     28X15/8X13/8     37-622     700X35C     32     Wire     805     Single     75     Black     LDP3mm       TB90588100     28X15/8X13/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS+       TB90588300     28X15/8X13/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS+       TB00150700     28X15/8X13/8     37-622     700X35C     60     Wire     755     Single     75     Black     EPS+LP3mm       TB9058800     28X15/8X13/8     37-622     700X35C     60     Wire     735     Single     75     Black     EPS+LP3mm       TB9362300     40-622     700X38C     60     <	TB89358300	28X1 5/8 X 1 1/4	32-622		20	Wire	625	Single	75	Black	APL
TB89358100   28X15/8X11/4   32-622   60   Wire   780   Single   75   Black   LDP     TB90588400   28X15/8X13/8   37-622   700X35C   27   Wire   700   Single   75   Black   APL     TB90588100   28X15/8X13/8   37-622   700X35C   32   Wire   805   Single   75   Black   LDP3mm     TB90588200   28X15/8X13/8   37-622   700X35C   60   Wire   640   Single   75   Black   EPS     TB90588200   28X15/8X13/8   37-622   700X35C   60   Wire   640   Single   75   Black   EPS+     TB00150700   28X15/8X13/8   37-622   700X35C   60   Wire   795   Single   75   Black   EPS+LDP3mm     TB90588900   28X15/8X13/8   37-622   700X35C   60   Foldable   620   Dual   75   Black   EPS+LDP3mm     TB93962300   40-622   700x38C   32   Wire   820   Single   75   Black   EPS     TB9396	TB89358200	28X1 <sup>5</sup> /8 X 1 <sup>1</sup> /4	32-622		27	Wire	580	Single	75	Black	APL
TB90588400     28X1 5/8 X 13/8     37.622     700X35C     27     Wire     700     Single     75     Black     APL       TB90588100     28X1 5/8 X 13/8     37.622     700X35C     32     Wire     805     Single     75     Black     LDP3mm       TB90588200     28X1 5/8 X 13/8     37.622     700X35C     60     Wire     640     Single     75     Black     EPS       TB90588300     28X1 5/8 X 13/8     37.622     700X35C     60     Wire     640     Single     75     Black     EPS+APL       TB00150700     28X1 5/8 X 13/8     37.622     700X35C     60     Wire     755     Single     75     Black     EPS+APL       TB00150700     28X1 5/8 X 13/8     37.622     700X35C     60     Wire     755     Single     75     Black     EPS+HD       TB9396200     40.622     700X38C     32     Wire     735     Single     75     Black     EPS       TB93962100     40.622     700X38C     60 <td>TB89358600</td> <td>28X1 5/8 X 1 1/4</td> <td>32-622</td> <td></td> <td>27</td> <td>Wire</td> <td>595</td> <td>Single</td> <td>75</td> <td>Black</td> <td>EPS</td>	TB89358600	28X1 5/8 X 1 1/4	32-622		27	Wire	595	Single	75	Black	EPS
TB90588100     28X1 5/8X 13/8     37-622     700X35C     32     Wire     805     Single     75     Black     LDP3mm       TB90588200     28X1 5/8X 13/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS       TB90588300     28X1 5/8X 13/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS+APL       TB0050700     28X1 5/8X 13/8     37-622     700X35C     60     Wire     795     Single     75     Black     EPS+APL       TB00588900     28X1 5/8X 13/8     37-622     700X35C     60     Foldable     620     Dual     75     Black     EPS+LDP3mm       TB93962300     40-622     700x38C     27     Wire     735     Single     75     Black     LDP3mm       TB93962000     40-622     700x38C     60     Wire     640     Single     75     Black     EPS+APL       TB93962100     40-622     700x38C     60     Foldable <td>TB89358100</td> <td>28X1 5/8 X 1 1/4</td> <td>32-622</td> <td></td> <td>60</td> <td>Wire</td> <td>780</td> <td>Single</td> <td>75</td> <td>Black</td> <td>LDP</td>	TB89358100	28X1 5/8 X 1 1/4	32-622		60	Wire	780	Single	75	Black	LDP
TB90588200   28X1 5/8 X1 3/8   37-622   700X35C   60   Wire   640   Single   75   Black   EPS     TB90588300   28X1 5/8 X1 3/8   37-622   700X35C   60   Wire   640   Single   75   Black   EPS+APL     TB00150700   28X1 5/8 X1 3/8   37-622   700X35C   60   Wire   795   Single   75   Black   EPS+LDP3mm     TB90588900   28X1 5/8 X1 3/8   37-622   700X35C   60   Foldable   620   Dual   75   Black   EPS+LDP3mm     TB90588900   28X1 5/8 X1 3/8   37-622   700X3SC   60   Foldable   620   Dual   75   Black   EPS+LDP3mm     TB90588900   28X1 5/8 X1 3/8   37-622   700X3SC   60   Wire   735   Single   75   Black   EPS     TB93962200   40-622   700x38C   60   Wire   640   Single   75   Black   EPS     TB93962100   40-622   700x38C   60   Foldable   625   Dual   75   Black   APL	TB90588400	28X1 <sup>5</sup> /8 X 1 <sup>3</sup> /8	37-622	700X35C	27	Wire	700	Single	75	Black	APL
TB90588300     28X1 5/8 X 13/8     37-622     700X35C     60     Wire     640     Single     75     Black     EPS+APL       TB00150700     28X1 5/8 X 13/8     37-622     700X35C     60     Wire     795     Single     75     Black     EPS+LDP3mm       TB90588900     28X1 5/8 X 13/8     37-622     700X35C     60     Foldable     620     Dual     75     Black     EPS+LDP3mm       TB90588900     28X1 5/8 X 13/8     37-622     700X35C     60     Foldable     620     Dual     75     Black     EPS+LDP3mm       TB93962300     40-622     700x38C     27     Wire     735     Single     75     Black     LDP3mm       TB93962200     40-622     700x38C     60     Wire     640     Single     75     Black     EPS       TB93962100     40-622     700x38C     60     Foldable     625     Dual     75     Black     EPS+APL       TB93962500     40-622     700x45C     27     Wire     900 </td <td>TB90588100</td> <td>28X1 <sup>5</sup>/8 X 1 <sup>3</sup>/8</td> <td>37-622</td> <td>700X35C</td> <td>32</td> <td>Wire</td> <td>805</td> <td>Single</td> <td>75</td> <td>Black</td> <td>LDP3mm</td>	TB90588100	28X1 <sup>5</sup> /8 X 1 <sup>3</sup> /8	37-622	700X35C	32	Wire	805	Single	75	Black	LDP3mm
TB00150700   28X1 5/8 X 1 3/8   37-622   700X35C   60   Wire   795   Single   75   Black   EPS+LDP3mm     TB90588900   28X1 5/8 X 13/8   37-622   700X35C   60   Foldable   620   Dual   75   Black   EPSBTB     TB93962300   40-622   700x38C   27   Wire   735   Single   75   Black   APL     TB93962200   40-622   700x38C   32   Wire   820   Single   75   Black   LDP3mm     TB9396200   40-622   700x38C   60   Wire   640   Single   75   Black   EPS     TB93962100   40-622   700x38C   60   Wire   715   Single   75   Black   EPS+APL     TB93962500   40-622   700x38C   60   Foldable   625   Dual   75   Black   APL     TB95240000   28X1.75X2   47-622   700X45C   27   Wire   900   Single   75   Black   LDP3mm     TB95240100   28X1.75X2   47-622   700X45C	TB90588200	28X1 <sup>5</sup> /8 X 1 <sup>3</sup> /8	37-622	700X35C	60	Wire	640	Single	75	Black	EPS
TB90588900     28X1 5/8 X 13/8     37-622     700X35C     60     Foldable     620     Dual     75     Black     EPSBTB       TB93962300     40-622     700x38C     27     Wire     735     Single     75     Black     APL       TB93962200     40-622     700x38C     32     Wire     820     Single     75     Black     LDP3mm       TB93962000     40-622     700x38C     60     Wire     640     Single     75     Black     EPS       TB93962000     40-622     700x38C     60     Wire     640     Single     75     Black     EPS       TB93962100     40-622     700x38C     60     Foldable     625     Dual     75     Black     EPSHTB       TB93962500     40-622     700x38C     60     Foldable     625     Dual     75     Black     EPSHTB       TB95240000     28X1.75X2     47-622     700X45C     32     Wire     1020     Single     75     Black     EPS	TB90588300	28X1 <sup>5</sup> /8 X 1 <sup>3</sup> /8	37-622	700X35C	60	Wire	640	Single	75	Black	EPS+APL
TB93962300   40-622   700x38C   27   Wire   735   Single   75   Black   APL     TB93962200   40-622   700x38C   32   Wire   820   Single   75   Black   LDP3mm     TB93962000   40-622   700x38C   60   Wire   640   Single   75   Black   EPS     TB93962100   40-622   700x38C   60   Wire   715   Single   75   Black   EPS     TB93962500   40-622   700x38C   60   Foldable   625   Dual   75   Black   EPSHTB     TB93962500   40-622   700x45C   27   Wire   900   Single   75   Black   APL     TB95240100   28X1.75X2   47-622   700X45C   32   Wire   1020   Single   75   Black   LDP3mm     TB95240100   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820	TB00150700	28X1 <sup>5</sup> /8 X 1 <sup>3</sup> /8	37-622	700X35C	60	Wire	795	Single	75	Black	EPS+LDP3mm
TB93962200   40-622   700x38C   32   Wire   820   Single   75   Black   LDP3mm     TB93962000   40-622   700x38C   60   Wire   640   Single   75   Black   EPS     TB93962100   40-622   700x38C   60   Wire   715   Single   75   Black   EPS     TB93962500   40-622   700x38C   60   Foldable   625   Dual   75   Black   EPS+APL     TB93962500   40-622   700x38C   60   Foldable   625   Dual   75   Black   EPSBTB     TB95240000   28X1.75X2   47-622   700X45C   27   Wire   900   Single   75   Black   LDP3mm     TB95240100   28X1.75X2   47-622   700X45C   32   Wire   1020   Single   75   Black   LDP3mm     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60	TB90588900	28X1 <sup>5</sup> /8 X 1 <sup>3</sup> /8	37-622	700X35C	60	Foldable	620	Dual	75	Black	EPSBTB
TB93962000   40-622   700x38C   60   Wire   640   Single   75   Black   EPS     TB93962100   40-622   700x38C   60   Wire   715   Single   75   Black   EPS+APL     TB93962500   40-622   700x38C   60   Foldable   625   Dual   75   Black   EPSBTB     TB95240000   28X1.75X2   47-622   700X45C   27   Wire   900   Single   75   Black   APL     TB95240000   28X1.75X2   47-622   700X45C   27   Wire   900   Single   75   Black   APL     TB95240100   28X1.75X2   47-622   700X45C   32   Wire   1020   Single   75   Black   LDP3mm     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   825   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS+APL     TB95240300   28X1.75X2   47-622	TB93962300		40-622	700x38C	27	Wire	735	Single	75	Black	APL
TB93962100   40-622   700x38C   60   Wire   715   Single   75   Black   EPS+APL     TB93962500   40-622   700x38C   60   Foldable   625   Dual   75   Black   EPSBTB     TB95240000   28X1.75X2   47-622   700X45C   27   Wire   900   Single   75   Black   APL     TB95240100   28X1.75X2   47-622   700X45C   32   Wire   1020   Single   75   Black   LDP3mm     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS+APL     TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB95240400   2	TB93962200		40-622	700x38C	32	Wire	820	Single	75	Black	LDP3mm
TB93962500   40-622   700x38C   60   Foldable   625   Dual   75   Black   EPSBTB     TB95240000   28X1.75X2   47-622   700X45C   27   Wire   900   Single   75   Black   APL     TB95240100   28X1.75X2   47-622   700X45C   32   Wire   1020   Single   75   Black   LDP3mm     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   APL     TB922872	TB93962000		40-622	700x38C	60	Wire	640	Single	75	Black	EPS
TB95240000   28X1.75X2   47-622   700X45C   27   Wire   900   Single   75   Black   APL     TB95240100   28X1.75X2   47-622   700X45C   32   Wire   1020   Single   75   Black   LDP3mm     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS     TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB92287200   28X11/2   40-635   20   Wire   825   Single   75   Black   APL     TB92287100	TB93962100		40-622	700x38C	60	Wire	715	Single	75	Black	EPS+APL
TB95240100   28X1.75X2   47-622   700X45C   32   Wire   1020   Single   75   Black   LDP3mm     TB95240200   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS+APL     TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB92287200   28X1 <sup>1</sup> /2   40-635   27   Wire   825   Single   75   Black   APL     TB92287100   28X1 <sup>1</sup> /2   40-635   27   Wire   875   Single   75   Black   LDP3mm	TB93962500		40-622	700x38C	60	Foldable	625	Dual	75	Black	EPSBTB
TB95240200   28X1.75X2   47-622   700X45C   60   Wire   855   Single   75   Black   EPS     TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS+APL     TB95240300   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB92287200   28X1 <sup>1</sup> /2   40-635   20   Wire   825   Single   75   Black   APL     TB92287000   28X1 <sup>1</sup> /2   40-635   27   Wire   770   Single   75   Black   APL     TB92287100   28X1 <sup>1</sup> /2   40-635   30   Wire   875   Single   75   Black   LDP3mm	TB95240000	28X1.75X2	47-622	700X45C	27	Wire	900	Single	75	Black	APL
TB95240300   28X1.75X2   47-622   700X45C   60   Wire   820   Single   75   Black   EPS+APL     TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB92287200   28X1 <sup>1</sup> /2   40-635   20   Wire   825   Single   75   Black   APL     TB92287000   28X1 <sup>1</sup> /2   40-635   27   Wire   770   Single   75   Black   APL     TB92287100   28X1 <sup>1</sup> /2   40-635   30   Wire   875   Single   75   Black   LDP3mm	TB95240100	28X1.75X2	47-622	700X45C	32	Wire	1020	Single	75	Black	LDP3mm
TB95240400   28X1.75X2   47-622   700X45C   60   Foldable   810   Dual   75   Black   EPSBTB     TB92287200   28X1 <sup>1</sup> /2   40-635   20   Wire   825   Single   75   Black   APL     TB92287000   28X1 <sup>1</sup> /2   40-635   27   Wire   770   Single   75   Black   APL     TB92287100   28X1 <sup>1</sup> /2   40-635   30   Wire   875   Single   75   Black   LDP3mm	TB95240200	28X1.75X2	47-622	700X45C	60	Wire	855	Single	75	Black	EPS
TB92287200   28X1 <sup>1</sup> /2   40-635   20   Wire   825   Single   75   Black   APL     TB92287000   28X1 <sup>1</sup> /2   40-635   27   Wire   770   Single   75   Black   APL     TB92287100   28X1 <sup>1</sup> /2   40-635   30   Wire   875   Single   75   Black   LDP3mm	TB95240300	28X1.75X2	47-622	700X45C	60	Wire	820	Single	75	Black	EPS+APL
TB92287000     28X1 <sup>1</sup> /2     40-635     27     Wire     770     Single     75     Black     APL       TB92287100     28X1 <sup>1</sup> /2     40-635     30     Wire     875     Single     75     Black     LDP3mm	TB95240400	28X1.75X2	47-622	700X45C	60	Foldable	810	Dual	75	Black	EPSBTB
TB92287100     28X1 <sup>1</sup> /2     40-635     30     Wire     875     Single     75     Black     LDP3mm	TB92287200	28X1 <sup>1</sup> /2	40-635		20	Wire	825	Single	75	Black	APL
	TB92287000	28X1 <sup>1</sup> /2	40-635		27	Wire	770	Single	75	Black	APL
TB92287300 28X1 <sup>1</sup> /2 40-635 60 Wire 870 Single 75 Black LDP	TB92287100	28X1 <sup>1</sup> /2	40-635		30	Wire	875	Single	75	Black	LDP3mm
	TB92287300	28X1 <sup>1</sup> /2	40-635		60	Wire	870	Single	75	Black	LDP


The most simple version of CST tires is so well made that they can be assembled on an e-bike up to 25 km/hour. However, there are increasingly more bicycles with pedal assistance that can go faster than 25 km/ hour and for those bicycles the tires have to be specially approved. With the arrival of the CST E-series Pro, CST has set a new standard for e-bike tires. The carcass is extremely robust and the compound is specially made to generate less rolling resistance. Add to that the fast pattern and double breaker layer and this can justifiably be called a top-class product.

🐚 Defender

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB90609000	28X1 5/8 X 1 3/8	37-622	700X35C	60	Wire	640	Single	75	Black	EPS+AL
TB97715000	28X1.50	40-622	700X38C	60	Wire	710	Single	75	Black	EPS+AL







C/838

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB54825000	26X1 <sup>3</sup> /8	37-590	650X35A	22	Wire	710	Single	65	Black	APL
TB64978000	26X1.75	47-559		22	Wire	965	Single	65	Black	APL
TBA		28-622	700X28C	22	Wire	560	Single	100	Black	APL
TB90111000	28X1 <sup>5</sup> /8 X 1 <sup>3</sup> /8	37-622	700X35C	22	Wire	715	Single	75	Black	APL
TB93959000	28X1.50	40-622	700X38C	22	Wire	795	Single	75	Black	APL
TB92353000	28X1 <sup>1</sup> /2	40-635	700X38B	22	Wire	895	Single	75	Black	APL
TB95198000	28X1.75X2	47-622	700X45C	22	Wire	990	Single	65	Black	APL

Getting a puncture with Master tires is virtually impossible. This is because the Sensamo Master has a double anti-puncture system. Two anti-puncture layers, so twice as much protection! This hyper-modern form of anti-puncture protection does not diminish the tire's flexibility. It still gives a very comfortable ride. This, combined with the minimal risk of getting a puncture, makes every bike ride a pleasant and carefree one.



ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB64457000	26X1.75	47-559		60	Wire	870	Single	65	Black	EPS+APL
TB90112000	28X1 5/8 X 1 3/8	37-622	700X35C	60	Wire	550	Single	75	Black	EPS+APL
TB93961000	28X1.50	40-622	700X38C	60	Wire	580	Single	75	Black	EPS+APL
TB95122000	28X1.75X2	47-622	700X45C	60	Wire	895	Single	65	Black	EPS+APL

C1839 S





	the PROTEC	o Spi the N ahead and exc challenge experience Step up to the e competition	superior a racing tire c	addition to our h collection. This m h its ultra-lightw for unmatched premium 120 T d flexibility and ered for speed of 5 Pro is crafted to bining robust st iveness. Embrad with confidence and tire technolog	eight Defender puncture PI carcass that durability. and agility, o keep you rength ee the e and gy.				
			FRENCH SIZE	TPI BEAD 120 Foldable	WEIGHT (g) 310	COMPOUND Dual	MAX PSI	COLOUR	TECH EPS/TLR
TB0055450	0 28X15/8X1 <sup>1</sup> /8	28-622	700 X28C		310	Dual	95	Black	EF3/ILK

	oo S PROT	Lig allo high p dual ca	perform tire will he The slick ce	ance alp ge ntre tr the p necte g red cad fo ction e lerate tructio	road tire. 1 to you from read keeps rogressive d feeling in uces rolling or a comfo eases acce even faste on features cornering g	g resistance rtable ride. leration, r. A a	aed			
ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00179800	28X1.00	25-622	700X25C	27	Wire	340	Single	120	Black	
TB00179900	28X1.00	25-622	700X25C	60	Foldable	280	Dual	120	Black	EPS



TB00252500 28X1.00 25-622 700X25C 120 Foldable 250 Dual 120 Black EPS TB00252600 28X1<sup>5</sup>/8X1<sup>1</sup>/8 28-622 700X28C 120 Foldable 300 Dual 120 Black EPS

tire suitable for training and racing. The dual-compound rubber offers improved tread wear plus increased traction and control while cornering. The folding bead version of the Correre features a 120 TPI casing and Defender Cobweb puncture protection to provide excellent ride quality and durability. The Correre is the answer for any rider who wants an upgraded road experience.

C/691

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB86037000		20-622	700X20C	120	Foldable	190	Dual	130	Black	EPS
TB86306700	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	305	Dual	130	Black	
TB86306200	28X <sup>7</sup> /8	23-622	700X23C	120	Foldable	235	Dual	130	Black	EPS
TB86307600	28X <sup>7</sup> /8	23-622	700X23C	170	Foldable	170	Dual	130	Black	EPS
TB86607200	28X1.00	25-622	700X25C	27	Wire	310	Dual	115	Black	
TB86607000	28X1.00	25-622	700X25C	120	Foldable	195	Dual	115	Black	EPS
TB86607100	28X1.00	25-622	700X25C	170	Foldable	205	Dual	115	Black	EPS







ITEM	INCH	etrto	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB86297700	28X <sup>7</sup> /8	23-622	700X23C	170	Foldable	185	Dual	120	Black	EPS
TB86380100	28X1.00	25-622	700X25C	170	Foldable	190	Dual	120	Black	EPS
TB88750000	28X1 <sup>5</sup> /8 X 1 <sup>1</sup> /8	28-622	700X28C	170	Foldable	240	Dual	120	Black	EPS

The Recourse from CST is an excellent choice for road riders who want a larger volume tire for training or competition. The folding bead version of the Recourse uses a 120 TPI casing to reduce weight and improve ride quality. A layer of our Defender Cobweb puncture protection is incorporated into the casing to help prevent flats.

PROTECTION LEVEL



ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB86284300	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	300	Dual	120	Black	
TB86399200	28X1.00	25-622	700X25C	27	Wire	340	Dual	120	Black	
TB86399100	28X1.00	25-622	700X25C	120	Foldable	215	Dual	120	Black	EPS
TB88748000	28X1 <sup>5</sup> /8 X 1 <sup>1</sup> /8	28-622	700X28C	27	Wire	340	Dual	120	Black	
TB88748200	28X1 5/8 X 1 1/8	28-622	700X28C	120	Foldable	250	Dual	120	Black	EPS
TB00231300		30-622	700X30C	60	Foldable	380	Dual	75	Black	EPS BTB

The CST Conquistare is designed to do one thing – conquer all road conditions. This road tire features a slick center designed to lower rolling resistance and provide consistent wear. The shoulders use a file-patterned design to maximise cornering ability. Select the folding bead option with Defender Cobweb and Nylon Cap puncture protection for a highly-durable road bicycle training tire.

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB05900000	14X1.10	28-254		60	Wire	130	Single	100	Black	
TB20445100	20X1.10	28-406		60	Wire	215	Single	100	Black	EPS
TB81768100	28X7/8	23-622	700X23C	27	Wire	310	Single	120	Black	
TB81768000	28X7/8	23-622	700X23C	60	Foldable	280	Single	120	Black	EPS+Nylon Cap
TB86465100	28X1.00	25-622	700X25C	27	Wire	315	Single	110	Black	
TB86465000	28X1.00	25-622	700X25C	60	Foldable	295	Single	110	Black	EPS+Nylon Cap

PROTECTION LEVEL

The CST Caldera is the ideal tire for road bicycle training and commuting. With its thicker layer of tread rubber, the Caldera is sure to provide many trouble-free miles. Choose the Defender Cobweb puncture protection option for increased durability on your road tire.

PROTECTION 3 5

CIZIS



ITEM	INCH	etrto	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB60148000	26X1.50	40-559		60	Wire	410	Single	65	Black	EPS
TB85931200	27.5 X2.00	50-584		30	Wire	1135	Single	65	Black	LDP3MM
TB86464000	28x1.00	25-622	700X25C	27	Wire	340	Single	110	Black	
TB86464500	28x1.00	25-622	700X25C	60	Foldable	270	Single	110	Black	EPS
TB88732000	28X1 5/8 X 1 1/8	28-622	700X28C	27	Wire	385	Single	100	Black	
TB88732500	28X1 5/8 X 1 1/8	28-622	700X28C	60	Foldable	335	Single	100	Black	EPS

C/808







Perfect for the style-conscious rider, the CST Czar road bike tire is available with several color options sure to match any bicycle. Available in 23 and 25mm widths, the Czar can be used for commuting or training on the road. Take corners with ease thanks to the dual-compound rubber. Choose the Defender Cobweb puncture protection option for increased durability.

Black/61 Black/24 Black/50 Black/52 Black/29 Black/30 Black

PROTECTION 3 Defender

C1405

	L		COBWE	B					1	Ø
ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB51759200	26X <sup>7</sup> /8	23-571	650X23C	27	Wire	265	Dual	120	Black/61	
TB51759300	26X <sup>7</sup> /8	23-571	650X23C	27	Wire	265	Dual	120	Black/30	
TB51759100	26X <sup>7</sup> /8	23-571	650X23C	27	Wire	265	Dual	120	Black/50	
TB51759400	26X <sup>7</sup> /8	23-571	650X23C	27	Wire	265	Dual	120	Black/52	
TB86323800	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	285	Dual	120	Black	
TB86323900	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	285	Dual	120	Black/61	
TB86322400	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	290	Dual	120	Black/Green	
TB86322500	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	290	Dual	120	Black/30	
TB86320400	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	290	Dual	120	Black/Orange	
TB86320500	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	290	Dual	120	Black/24	
TB86323700	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	290	Dual	120	Black/50	
TB86319200	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	290	Dual	120	Black/29	
TB86323600	28X <sup>7</sup> /8	23-622	700X23C	27	Wire	290	Dual	120	Black/52	
TB86325400	28X <sup>7</sup> /8	23-622	700X23C	60	Foldable	240	Dual	120	Black/61	EPS
TB86320600	28X <sup>7</sup> /8	23-622	700X23C	60	Foldable	240	Dual	120	Black/30	EPS
TB86325500	28X <sup>7</sup> /8	23-622	700X23C	60	Foldable	240	Dual	120	Black/50	EPS
TB86325600	28X <sup>7</sup> /8	23-622	700X23C	60	Foldable	240	Dual	120	Black/52	EPS
TB86395300	28X1.00	25-622	700X25C	27	Wire	310	Dual	120	Black	
TB86395400	28X1.00	25-622	700X25C	27	Wire	315	Dual	120	Black/61	
TB86394800	28X1.00	25-622	700X25C	27	Wire	305	Dual	120	Black/Green	
TB86395600	28X1.00	25-622	700X25C	27	Wire	310	Dual	120	Black/30	
TB86394600	28X1.00	25-622	700X25C	27	Wire	315	Dual	120	Black/Orange	
TB86394700	28X1.00	25-622	700X25C	27	Wire	315	Dual	120	Black/24	
TB86395500	28X1.00	25-622	700X25C	27	Wire	310	Dual	120	Black/50	
TB86394500	28X1.00	25-622	700X25C	27	Wire	315	Dual	120	Black/29	
TB86395700	28X1.00	25-622	700X25C	27	Wire	310	Dual	120	Black/52	
TB86396900	28X1.00	25-622	700X25C	60	Foldable	240	Dual	120	Black/61	EPS
TB86395800	28X1.00	25-622	700X25C	60	Foldable	240	Dual	120	Black/30	EPS
TB86396700	28X1.00	25-622	700X25C	60	Foldable	240	Dual	120	Black/50	EPS
TB86395200	28X1.00	25-622	700X25C	60	Foldable	240	Dual	120	Black/52	EPS
TB88749000	28X1 <sup>5</sup> /8 X 1 <sup>1</sup> /8	28-622	700X28C	27	Wire	330	Dual	120	Black/50	
TB20113000	20X1.00	23-420		60	Wire	195	Dual	100	Black	
TB36016000	22X1.00	23-470		60	Wire	225	Single	100	Black	
TB41232000	24X1.00	23-520		60	Wire	245	Single	100	Black	
TB41232300	24X1.00	23-520		30	Wire	365	Single	100	Black	

Introducing the Sprint tire, the latest addition to our race-inspired lineup. With its lightweight Defender Cobweb layer for enhanced protection and a high-quality 60 TPI carcass, the Sprint tire combines flexibility and durability like no other. Engineered to excel in speed and performance, this tire is designed to keep you going, no matter the challenge. Experience the perfect balance of strength and responsiveness as you push your limits on the race track. Upgrade to the Sprint tire and unleash your full potential, leaving your competition in the dust.

ETRTO FRENCH SIZE TPI BEAD ITEM INCH TB00504100 700 X25C 25-622 700 X25C 60 Wire TB00504200 700 X25C 25-622 700 X25C 60 Foldab TB00504300 700 X28C 28-622 700 X28C 60 Wire TB00504400 700 X28C 28-622 700 X28C 60 Foldab

				-	
D	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
е	310	Dual	120	Black	EPS
ble		Dual	120	Black	EPS
е	340	Dual	120	Black	EPS
ble		Dual	120	Black	EPS



NEW

Introducing the Overton SP, a lightweight gravel tire engineered for both speed and comfort. Building on the strengths of the original Overton, the Overton SP features a smooth centre section with knurling at the mid-point for enhanced control and responsiveness. Pronounced side knobs allow you to confidently navigate tight turns on varied gravel paths. Equipped with our Defender Cobweb puncture protection, this tire ensures a reliable and comfortable ride, perfect for gravel enthusiasts who value performance without the extra weight.





ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00515800	28X1.50	40-622	700X40C	30	Wire	565	Dual	75	Black	
TB00539200	28X1.50	40-622	700X40C	60	Wire		Dual	75	Black	EPS
TB00571700	28X1.50	40-622	700X40C	30	Wire	595	Dual	75	Black	
TB00528800	28X1.75X2	47-622	700X45C	30	Wire	665	Dual	60	Black	


Take the long way home! The Detour is a fast-rolling, high volume, and lightweight commuter tire that provides traction in a variety of urban terrain. The Detour features a fast rolling centre tread with features that aide wet traction to make sure you stay upright on those rainy commutes. Shoulder knobs provide traciton when leaned in grass and dirt, but they stay out of the way to keep you rolling fast in a straight line. CST's protection layer Defender Cobweb prevents punctures in the tread area, keeping you riding trouble free. The Detour's reflective sidewall stripes help visibility, so other road users see you night and day!



C3015



ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00180000	28X1.50	38-622	700X38	60	Wire	465	Dual	75	Black	EPS
TB00395300	28X1.50	38-622	700X38	60	Foldable	515	Dual	75	Coffee wall	EPS TLR



60 Foldable

485

75

Brown W TLR

Dual



TB00492600 28X1.50

40-622

700X40C




Grab your friends and get out there with the Convoy. This tread pattern has been engineered for the new generation of versitle all-road and gravel bikes. The tread is optimised for each of the multiple widths offered, allowing you to run as much tire volume as your frame allows. Even knob spacing gives you a consistent and connected feel that will keep you rubber side down whether you're in midwestern chunk gravel or small particle kitty litter. A supple casing provides all day comfort and excellent rolling speed. CST's Defender Cobweb protection under the tread will prevent punctures from slowing you down.




C301

UBELESSREADY

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00158700	28X1 5/8 X 1 1/4	32-622	700X32C	60	Wire	375	Dual	85	Black	EPS
TB00180100	28X1.50	38-622	700X38C	60	Wire	455	Dual	75	Black	EPS
TB00395000	28X1.50	38-622	700X38C	60	Foldable	510	Dual	75	Coffee wall	EPS/TLR
TB00158900	29X2.00	50-622	700X50C	60	Wire	645	Dual	65	Black	EPS
TB00395100	29X2.00	50-622	700X50C	60	Foldable	630	Dual	65	Black	EPS/TLR





PROTECTION LEVEL

C/894



ITEM	INCH	etrto	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB88981000	28X1 5/8 X 1 1/4	32-622	700X32C	60	Wire	385	Dual	75	Black	EPS
TB91987000	28X1 <sup>5</sup> /8 X 1 <sup>3</sup> /8	35-622	700X35C	60	Wire	410	Dual	75	Black	EPS
TB97714000	28X1.50	40-622	700X38C	60	Wire	425	Dual	75	Black	EPS
TB97714100	28X1.50	40-622	700X38C	60	Foldable	360	Dual	75	Black	EPS
TB00247800	28X1.50	40-622	700X38C	60	Foldable	480	Dual	75	Black	EPS/TLR
TB00281600	28X1.50	40-622	700X38C	60	Foldable	510	Dual	75	Coffee wall	EPS/TLR
TB96444000	28X1.625	42-622	700X42C	60	Wire	510	Dual	75	Black	EPS
TB00285000	28X1.625	42-622	700X42C	60	Foldable	550	Dual	75	Coffee wall	EPS/TLR

Gravel riding is becoming increasingly popular, and 40C is the most common size. CST's Tirent tire is based on the B-Fast model with slight variations in the shoulder. It is a completely new gravel tire in a 700x40C size for dirt and gravel roads.

C1820N

ITEM	INCH	ETRTO	FRENCH SIZE	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB96274000	28X1.50	40-622	700X40C	60	Wire	510	Dual	75	Black	EPS
TB00093100	28X1.50	40-622	700X40C	60	Foldable	450	Dual	75	Black	EPS
TB00369700	28X1.625	44-622	700X42C	60	Foldable	575	Dual	75	Coffee wall	EPS/TLR









ى بى		b ver with every weeken design er comfort ac Overland es o explore all d ease.	the Over poth city s rsatile tire robust co thing from ad explore sources exe cross varie SUV tire, o terrains v	land tire is p treets and ru combines s ontrol, makin n daily com ations. Its in ceptional gr ous surfaces embrace the vith confider	ntelligent tread grip and es. With the ne freedom	ing				CST developed a new tire especially for the most difficult circumstances; Mudlock. This tire is equipped with square-featured knobs that provide the maximum amount of grip. In addition, we use the softest compound to further optimise your ride. The position of the knobs ensures that mud does not stick on the tire. We are proud to mention that the Mudlock has been used by several riders during the Olympics of 2021.	
ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g) C	OMPOUND	MAX PSI	COLOUR	TECH	ITEM INCH ETRTO TPI BEAD WEIGHT (g) COMPOUND MAX PSI COLOUR TECH	H
TB00530500	27.5X2.45	62-584	60	Wire	1194	Single	65	Black	EPS	TB00447800 29X2.10 53-622 170 Foldable 685 3C(Triple) 65 Black EPS	5
TB00530600	700X55C	55-622	60	Wire	1154	Single	65	Black	EPS		

EPS

Black

	An update from the current Jack Rabbit.	The
	goal was to make an already great tire,	
	even better. A special 'over-lay' bridge	
	has been added to the pattern to ensure	
fo	antastic control and adds unparalleled	
grip	o and speed. This combination makes	
the Jo	ack Rabbit II a true high performer.	

Wire

1244

Single

65





ITEM	INCH	etrto	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00141700	29X2.25	57-622	120	Foldable	575	3C	65	Black	EPS
TB00141600	29X2.25	57-622	120	Foldable	490	3C	65	Black	
TB00281500	29X2.25	57-622	60	Foldable	725	Dual	65	Coffee wall	EPS/TLR
TB00447600	29X2.35	60-622	120	Foldable	650	3C	65	Black	EPS
TB00447700	29X2.35	60-622	170	Foldable	660	3C	65	Black	EPS
TB00492700	29X2.35	60-622	60	Foldable	835	Single	65	Brown SW	TLR
TB00492800	29X2.35	60-622	120	Foldable	690	3C	65	Black	TLR

The Traillock is a versatile, foldable intermediate tire crafted for mountain biking across diverse terrains. It features Defender Cobweb technology for Detender Cobweb technology for top-notch puncture resistance and a 3C triple compound that enhances durability, traction and efficiency. With its adaptable tread pattern, the Traillock delivers excellent grip and stability, ensuring a secure and exhilarating ride no matter the trail conditions. VOI-1 

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00541200	29X2.35	60-622	120	Foldable	850	3C(Triple)	65	Black	EPS

TB00530400

700X62C

Clark

62-622





Conquer urban cobblestones and forest paths effortlessly with the Preston eSUV tire. Designed to take you anywhere you desire, this tire is your reliable companion, available seven days a week. With its versatile nature, the Preston eSUV tire reigns as the ultimate king of all roads, offering a smooth and seamless ride both on and off the beaten path. No matter where your adventure leads, trust in the Preston tire to provide you with unmatched performance, ensuring every journey is a joyous and comfortable experience.

Defender

CTC23

PROTECTION LEVEL



TB00258900

26X4.00

100-559

60

Wire

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00481300	27.5X2.35	60-584	27	Wire	1310	Dual	65	Black	EPS
TB00481400	29X2.35	60-622	27	Wire	1365	Dual	65	Black	EPS

E-BIKE 🗲





65

Single

Black

H	ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR
	TB00462900	27.5X2.50	64-584	60	Wire	1400	3C(Triple)	50	Black
	TB00501600	27.5X2.50	64-584	60	Foldable	1350	3C(Triple)	50	Black
	TB00463000	29X2.50	64-622	60	Wire	1490	3C(Triple)	50	Black
	TB00501700	29X2.50	64-622	60	Foldable	1430	3C(Triple)	50	Black

TB00484300 29X2.40

62-622

700X62C

27 Wire

/EIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
1600	Dual	30	Black	BLACK/STUD
1600	Dual	30	Black	BLACK





ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00198400	27.5X2.35	60-584	60	Wire	995	Dual	65	Black	EPS BTB
TB00198500	29X2.35	60-622	60	Wire	1040	Dual	65	Black	EPS BTB

The CST Heathen is an excellent choice for aggressive riding in hardpack to loose conditions. The centre of the tire features low, widely-spaced knobs to aid in debris shedding. The shoulder knobs have a tall profile to really dig in when the bicycle is leaned over. The Heathen is available in wire or folding bead versions. The folding bead version features a dual-compound tread for improved grip, and our Defender Cobweb puncture protection.

Defender



	LEVEL		//c
INCH		ETRTO	TPI

C1268

ITEM BEAD WEIGHT (g) COMPOUND MAX PSI COLOUR TECH EPS TB00186300 26X1.95 680 Dual 65 Black 50-559 60 Wire TB69979100 26X2.10 52-559 27 Wire 690 Dual 65 Black 26X2.10 52-559 Foldable 65 Black EPS TB69979000 60 615 Dual Wire TB72606100 26X2.25 54-559 27 810 65 Black Dual Foldable TB72606000 26X2.25 54-559 60 730 Dual 65 Black EPS EPS TB00186400 27.5X1.95 50-584 60 710 Dual 65 Black Wire TB85953300 27.5x2.10 52-584 27 Wire 725 Dual 65 Black EPS 27.5x2.10 65 TB85953100 52-584 60 Foldable 645 Dual Black TB90957000 27.5X2.10 52-584 Foldable 655 Dual 65 Black EPS TLR 60 27.5X2.25 TB91036000 54-584 27 860 Dual 65 Black Wire TB91036100 27.5X2.25 54-584 60 Foldable 675 65 EPS Dual Black

UBELESSREADY

The CST Ouster technical all-mo centre tread keeps and off your tires, a rocks while climbing. The knobs dig into loose soil and give confidence to rail your bicycle through the turns. The Ouster is available with a wire or folding bead in 26" and 29" sizes. Folding bead versions also feature dual-compound rubber and Defender Cobweb puncture protection.

🐚 Defender COBWEB

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00113200	22X2.25	57-457	27	Wire	675	Dual	65	Black	
TB00113300	24X2.25	57-507	27	Wire	765	Dual	65	Black	
TB72630100	26X2.25	57-559	27	Wire	815	Single	65	Black	
TB72630000	26X2.25	57-559	60	Foldable	690	Dual	65	Black	EPS
TB74175600	26X2.40	60-559	27	Wire	960	Single	65	Black	
TB74175500	26X2.40	60-559	60	Foldable	825	Dual	65	Black	EPS
TB90982100	27.5X2.25	57-584	27	Wire	820	Single	65	Black	
TB90982000	27.5X2.25	57-584	60	Foldable	715	Dual	65	Black	EPS/TLR
TB91054100	27.5X2.40	60-584	27	Wire	970	Single	65	Black	
TB91054000	27.5X2.40	60-584	60	Foldable	870	Dual	65	Black	EPS
TB96719600	29X2.25	56-622	27	Wire	870	Single	65	Black	
TB96719500	29X2.25	56-622	60	Foldable	715	Dual	65	Black	EPS/TLR
TB96787000	29X2.40	60-622	27	Wire	975	Single	65	Black	
TB96788000	29X2.40	60-622	60	Foldable	845	Dual	65	Black	EPS



UBELESSREADY

The CST Patrol mountain bike tire features a versatile tread pattern suitable for a broad range of conditions. The medium-height centre knobs are ramped to reduce rolling resistance and are staggered to provide a consistent feel across the profile of the tire. The side knobs are fairly aggressive and provide excellent cornering grip. The Patrol is available with a wire bead or folding bead with Defender Cobweb puncture protection.





C1846



ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00192500	20X3.0	76-406	60	Wire	850	Single	30	Black	
TB69916100	26X2.10	54-559	27	Wire	720	Single	65	Black	
TB69916000	26X2.10	54-559	60	Foldable	620	Dual	65	Black	EPS
TB72566100	26X2.25	57-559	27	Wire	780	Single	65	Black	
TB72566000	26X2.25	57-559	60	Foldable	715	Dual	65	Black	EPS
TB00192600	26X3.0	76-559	60	Wire	1160	Single	30		
TB90969000	27.5X2.10	54-584	60	Foldable	620	Dual	65	Black	EPS/TLR
TB90985000	27.5x2.25	57-584	27	Wire	805	Single	65	Black	
TB90985200	27.5X2.25	57-584	60	Foldable	735	Dual	65	Black	EPS/TLR
TB91063000	27.5X2.40	61-584	27	Wire	870	Single	65	Black	
TB91063100	27.5X2.40	61-584	60	Foldable	755	Dual	65	Black	EPS
TB96903100	27.5X2.80	71-584	27	Wire	960	Dual	35	Black	
TB96903200	27.5X2.80	71-584	60	Wire	990	Dual	35	Black	
TB96903000	27.5X2.80	71-584	60	Foldable	800	Dual	35	Black	EPS
TB96655100	29X2.10	54-622	27	Wire	790	Single	65	Black	
TB96655000	29X2.10	54-622	60	Foldable	670	Dual	65	Black	EPS
TB96745000	29X2.10	54-622	60	Foldable	655	Dual	65	Black	EPS/TLR
TB96812100	29X2.25	57-622	27	Wire	820	Single	65	Black	
TB96812000	29X2.25	57-622	60	Foldable	705	Dual	65	Black	EPS
TB96733500	29X2.25	57-622	60	Foldable	735	Dual	65	Black	EPS/TLR
TB96799000	29 X2.40	61-622	27	Wire	915	Single	65	Black	
TB96799100	29 X2.40	61-622	60	Foldable	805	Dual	65	Black	EPS
TB00236200	29X2.60	66-622	60	Foldable	1085	Dual	45	Black	EPS/1PCI/TLR
TB00324300	29X2.60	66-622	60	Wire	1130	Dual	45	Black	EPS BTB
TB00236300	29X2.80	71-622	60	Foldable	1120	Dual	35	Black	EPS/1PCI/TL

The Jack Rabbit from CST is a UST-certified mountain bike tire, meaning it can be run tubeless on an approved UST wheel. To keep you burning up the trail, the Jack Rabbit features a fast-rolling tread design with small ramped knobs. When the trail gets technical, our Defender Cobweb puncture protection will give you the confidence to concentrate on your line. The same great tread pattern and puncture protection is also available in a tube-type version for riders not using UST-certified wheels.

🗅 Defender 🖉 💷 Defei	nder
COBWEB	)

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB67595700	26X1.95	50-559	27	Wire	640	Single	65	Black	
TB67595500	26X1.95	50-559	60	Foldable	580	Dual	65	Black	EPS
TB68613100	26X2.00	54-559	120	Foldable	820	Single	65	Black	EPS/UST
TB70394700	26X2.10	54-559	27	Wire	665	Single	65	Black	
TB70394800	26X2.10	54-559	60	Foldable	615	Dual	65	Black	EPS
TB00081400	27.5X1.95	50-584	27	Wire	760	Dual	65	Black	
TB90952000	27.5X2.10	52-584	27	Wire	690	Single	65	Black	
TB90965000	27.5X2.10	52-584	60	Foldable	605	Dual	65	Black	EPS TLR
TB90984000	27.5X2.25	57-584	27	Wire	760	Single	65	Black	
TB90984100	27.5X2.25	57-584	60	Foldable	645	Dual	65	Black	EPS
TB91033000	27.5X2.25	57-584	60	Foldable	680	Dual	65	Black	EPS TLR
TB00191600	27.5X2.40	61-584	60	Foldable	690	Dual	65	Black	EPS
TB00264600	27.5X2.60	66-584	60	Wire	955	Dual	45	Black	EPS BTB
TB00264700	27.5X2.80	71-584	60	Wire	990	Dual	35	Black	EPS BTB
TB96656000	29X2.10	52-622	27	Wire	750	Single	65	Black	
TB96661000	29X2.10	52-622	60	Foldable	635	Dual	65	Black	EPS TLR
TB96801000	29X2.25	57-622	27	Wire	800	Single	65	Black	
TB96801100	29X2.25	57-622	60	Foldable	680	Dual	65	Black	EPS
TB96841000	29X2.25	57-622	60	Foldable	715	Dual	65	Black	EPS TLR
TB00191700	29X2.40	61-622	60	Foldable	730	Dual	65	Black	EPS
TB00236600	29X2.60	66-622	60	Foldable	965	Dual	45	Black	EPS/1PCI
TB00236700	29X2.80	71-622	60	Foldable	1000	Dual	35	Black	EPS/1PCI



The CST B-Trail mountain bike tire is a versatile trail tire sure to make your jaw drop. The CST B-Trail's unique tread pattern features short, alternating knobs on the centre tread for exceptional traction and lightning-fast speed. The side knobs are taller and more aggressive to ensure confident, flawless transitions coming in and out of turns. The CST B-Trail is available in folding bead with CLXX technology (170 TPI), making it the lightest mountain bike tire in the CST line-up.



C1861p

Defender

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00363700	26 X1.95	50-559	60	Wire	534	Dual	65	Black	EPS
TB69920000	26x2.10	53-559	170	Foldable	575	Dual	65	Black	EPS
TB00363800	27.5 X1.95	50-584	60	Wire	601	Dual	65	Black	EPS
TB85940000	27.5 X2.10	52-584	60	Wire	647	Dual	65	Black	EPS
TB91038000	27.5X2.25	57-584	170	Foldable	480	Dual	65	Black	EPS
TB96715100	29X2.25	57-622	170	Foldable	505	Dual	65	Black	EPS
TB00030000	27.5 X2.60	66-584	60	Foldable	835	Dual	45	Black	



The CST BFT (Big Fat Tire) features meaty centre and side knobs combined with a high-volume casing to create the ultimate aggressive all-mountain/freeride tire. The BFT offers predictable cornering and excellent braking traction – just what you need when the trail gets dicey. The BFT is available with a wire or folding bead with Defender Cobweb puncture protection, perfect for longer travel bicycles.

PROTECTION 3 4 Defender Defender

Č,

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00320200	20X2.40	61-406	27	Wire	605	Dual	65	Black	
TB35938000	20X4.0	100-406	60	Wire	1045	Single	30	Black	
TB00008800	24X2.40	61-507	27	Wire	725	Dual	65	Black	
TB00320300	24X4.0	100-507	60	Wire	1125	Single	30	Black	
TB72612100	26X2.25	54-559	27	Wire	905	Single	65	Black	
TB72612000	26X2.25	54-559	60	Foldable	865	Dual	65	Black	EPS
TB74202100	26X2.40	60-559	27	Wire	1060	Single	65	Black	
TB74202000	26X2.40	60-559	60	Foldable	910	Dual	65	Black	EPS
TB72652000	26 X4.0	100-559	60	Wire	1280	Single	30	Black	
TB90999000	27.5x2.25	54-584	27	Wire	1140	Single	65	Black	
TB90999100	27.5x2.25	54-584	60	Foldable	830	Dual	65	Black	EPS
TB91031000	27.5X2.25	57-584	60	Foldable	865	Dual	65	Black	EPS TLR
TB91061000	27.5X2.40	61-584	27	Wire	1150	Single	65	Black	
TB91061100	27.5X2.40	61-584	60	Foldable	980	Dual	65	Black	EPS
TB85964000	27.5X2.40	61-584	60	Foldable	885	Dual	65	Black	EPS TLR
TB00264400	27.5X2.60	66-584	60	Wire	1200	Dual	45	Black	EPS BTB
TB00264500	27.5X2.80	71-584	60	Wire	1225	Dual	35	Black	EPS BTB
TB91152000	27.5 X3.0	76-584	60	Wire	1145	Single	65	Black	
TB96843000	29X2.25	57-622	60	Foldable	905	Dual	65	Black	EPS TLR
TB96835000	29 X3.0	76-622	60	Wire	1200	Dual	30	Black	





The Trail Fiend is designed for the demands of the cross country racing community. The knobs are closely spaced and ramped for fast rolling and straight line braking performance. The shoulder and transition knobs are mildly aggressive to provide traction without sacrificing efficiency.

The Rock Hawk from CST features an aggressive tread pattern with large, wellspaced lugs. This spacing allows the tire to shed mud and other debris on mountain bike trails with varying conditions. In order to help reduce rolling resistance, the center knobs have been ramped. The Rock Hawk is available with a wire bead or folding bead with Defender Cobweb puncture protection.




PROTECTION LEVEL

UBELESSREADY

								~	
ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB72639100	26X2.25	57-559	27	Wire	975	Single	65	Black	
TB72639000	26X2.25	57-559	60	Foldable	855	Dual	65	Black	EPS
TB74175200	26X2.40	60-559	27	Wire	1060	Single	65	Black	
TB74175100	26X2.40	60-559	60	Foldable	930	Dual	65	Black	EPS
TB91039000	27.5X2.25	57-584	60	Foldable	885	Dual	65	Black	EPS/TLR
TB90986100	27.5X2.25	57-584	27	Wire	1010	Single	65	Black	
TB90986000	27.5X2.25	57-584	60	Foldable	910	Dual	65	Black	EPS
TB91055100	27.5X2.40	60-584	27	Wire	1070	Single	65	Black	
TB91055000	27.5X2.40	60-584	60	Foldable	970	Dual	65	Black	EPS
TB91058000	27.5X2.40	61-584	60	Foldable	905	Dual	65	Black	EPS/TLR
TB96810100	29X2.25	57-622	27	Wire	1055	Single	65	Black	
TB96810000	29X2.25	57-622	60	Foldable	945	Dual	65	Black	EPS
TB96842000	29X2.25	57-622	60	Foldable	920	Dual	65	Black	EPS/TLR
TB96796100	29X2.40	60-622	27	Wire	1160	Single	65	Black	
TB96796000	29X2.40	60-622	60	Foldable	1020	Dual	65	Black	EPS/TLR
TB96860000	29X2.40	61-622	60	Foldable	955	Dual	65	Black	EPS

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB90951100	27.5X2.10	54-584	27	Wire	700	Single	65	Black	
TB90951000	27.5X2.10	54-584	60	Foldable	590	Dual	65	Black	EPS
TB91046100	27.5X2.25	57-584	27	Wire	745	Single	65	Black	
TB91046000	27.5X2.25	57-584	60	Foldable	635	Dual	65	Black	EPS
TB96762100	29X2.10	54-622	27	Wire	735	Single	65	Black	
TB96762000	29X2.10	54-622	60	Foldable	620	Dual	65	Black	EPS
TB96897000	29X2.25	57-622	27	Wire	780	Single	65	Black	
TB96891000	29X2.25	57-622	60	Foldable	670	Dual	65	Black	EPS



PROTECTION LEVEL


ITEM	INCH	etrto	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB91043000	27.5X2.25	57-584	27	Wire	715	Dual	65	Black	
TB91043100	27.5X2.25	57-584	60	Foldable	605	Dual	65	Black	EPS
TB96893000	29X2.25	57-622	27	Wire	755	Dual	65	Black	
TB96893100	29X2.25	57-622	60	Foldable	640	Dual	65	Black	EPS







ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB72666000	26 X4.80	122-559	60	Wire	1780	Single	30	Black	
TB72666100	26 X4.80	122-559	120	Foldable	1420	Single	30	Black	



ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00186500	26X1.95	50-559	60	Wire	635	Dual	65	Black	EPS
TB70141000	26X2.10	54-559	27	Wire	710	Dual	65	Black	
TB00186600	27.5X1.95	50-584	60	Wire	665	Dual	65	Black	EPS
TB90961000	27.5X2.10	54-584	27	Wire	705	Dual	65	Black	
TB96660500	29X2.10	54-622	27	Wire	690	Dual	65	Black	



The CST Gripper is a well-rounded, versatile mountain bike tire suitable for use in a variety of conditions. The centre tread features ramped knobs that flow throughout the tire to help shed mud and debris while decreasing rolling resistance for a smooth, comfortable ride. The centre tread is perfectly paired with staggered shoulder knobs for exceptional turning capabilities. The CST Gripper is available with a wire or folding bead with Defender Cobweb puncture protection.



C/870

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB69919000	26x2.10	52-559	27	Wire	805	Single	65	Black	
TB69919400	26x2.10	52-559	60	Foldable	615	Dual	65	Black	EPS
TB90962400	27.5X2.10	52-584	27	Wire	780	Single	65	Black	
TB90962700	27.5X2.10	52-584	60	Foldable	645	Dual	65	Black	EPS
TB90989000	27.5X2.25	57-584	27	Wire	810	Single	65	Black	
TB90989400	27.5X2.25	57-584	60	Foldable	675	Dual	65	Black	EPS
TB96664300	29X2.10	52-622	27	Wire	820	Single	65	Black	
TB96664200	29X2.10	52-622	30	Wire	1275	Single	65	Black	LDP3mm
TB96806000	29X2.25	57-622	27	Wire	820	Single	65	Black	
TB96806300	29X2.25	57-622	60	Foldable	700	Dual	65	Black	EPS
TB95986100		40-622	27	Wire	580	Single	75	Black	





Beat your competition with the CST Beater! The CST Beater is a flexible XC-style tire with an innovative tread pattern engineered for performance and comfort. The centre tread features ramped and angled knobs that help keep the tire rolling fast on the trail and provide a consistent feel across the profile of the tire. The side knobs complement the centre tread with sharp, angled knobs for exceptional cornering grip. The CST Beater is available with a wire bead or folding bead with Defender Cobweb puncture protection.



C/8

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB90968100	27.5X2.10	52-584	27	Wire	680	Single	65	Black	
TB90968400	27.5X2.10	52-584	60	Foldable	515	Dual	65	Black	EPS
TB90995000	27.5X2.25	57-584	27	Wire	690	Single	65	Black	
TB90995100	27.5X2.25	57-584	60	Foldable	615	Dual	65	Black	EPS
TB96666200	29X2.10	52-622	27	Wire	715	Single	65	Black	
TB96808000	29X2.25	57-622	27	Wire	705	Single	65	Black	
TB96808100	29X2.25	57-622	60	Foldable	620	Dual	65	Black	EPS

The CST Camber is a hardpack mountain bike tire designed to run in specific directions for the front and rear. In front, the Camber rolls fast, confidently grabbing corners even in the loose stuff. Reversed on the rear, the Camber gives you the same confidence in the corners, plus additional acceleration and climbing traction. The Camber is available with a wire bead, a folding bead with Defender Cobweb puncture protection and a UST-certified bead profile and casing.

Closy

сови	VEB	
		1
_		_

ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB69953000	26X2.10	56-559	27	Wire	645	Single	65	Black	
TB69954000	26X2.10	56-559	60	Foldable	620	Dual	65	Black	EPS
TB72628000	26X2.25	54-559	27	Wire	725	Single	65	Black	
TB72629000	26X2.25	54-559	60	Foldable	675	Dual	65	Black	EPS
TB72629500	26X2.25	57-559	120	Foldable	555	Single	65	Black	EPS/TLR
TB96721000	29X2.25	56-622	27	Wire	795	Single	65	Black	
TB96721100	29X2.25	56-622	60	Foldable	665	Dual	65	Black	EPS
TB91031000	26X2.25	57-559	60	Foldable	615	Dual	65	Black	EPS TLR
TB72629600	26X2.25	57-559	120	Foldable	800	Dual	65	Black	EPS TLR
TB96692500	29X2.10	54-622	60	Foldable	660	Dual	65	Black	EPS TLR
TB96892000	29X2.25	57-622	60	Foldable	705	Dual	65	Black	EPS TLR



## COBWEB



The Vault BMX tire from CST uses a tread pattern suitable for street, park and dirt riding. With a textured surface and slightly raised shoulder knobs, the Vault rolls fast without giving up traction. The Vault is available in two widths, 1.95 and 2.20, to suit any freestyle BMX rider's needs.

C1854



ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB29484000	20X1.95	50-406	60	Wire	590	Dual	100	Black	
TB31003000	20X2.20	56-406	60	Wire	670	Dual	100	Black	
TB35950000	20X2.40	61-406	60	Wire	680	Dual	100	Black	

Named for the "old school" trick, the CST Decade was designed with flatland BMX riding in mind. The Decade features a smooth profile, with no knobs to interfere with your feet while performing tricks. The surface of the tire is textured to help grip the soles of your shoes. The Decade is available in 1.75 and 2.00 inch widths. C/853 etrto BEAD INCH TPI TB24698000 20X1.75 43-406 60 Wire

50-406


60

Wire

	The CST Operative is equally suited for
,	the track, street or park. The smooth centr
	tread helps you carry speed, while the
	micro knobs on the shoulders offer just the
	right amount of cornering grip. The tread
	design continues around the sidewall of
7	the tire to give you a little extra insurance
	when grinding ledges. An excellent
	choice for your freestyle BMX bicycle.



ITEM	INCH	ETRTO	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
TB00205300	12X2.25	54-203	60	Wire	285	Dual	65	Black	
TB24696000	20X1.75	43-406	60	Wire	435	Dual	65	Black	
TB35813000	20X2.25	54-406	60	Wire	535	Dual	65	Black	
TB35946000	20X2.40	61-406	60	Wire	610	Dual	100	Black	



TB29764000

20X2.00



'EIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
545	Dual	100	Black	
605	Dual	100	Black	



/EIGHT (g)	COMPOUND	MAX PSI	COLOUR	TECH
475	Single	65	Black	
490	Single	65	Black	
560	Single	65	Black	

#### DOWNHILL

- CST's heavy-duty bicycle tube for freeride and downhill use
- 1.20mm wall thickness

Item number	Inch size	Valve	Weight (g)
IB69128100	26X2.2/2.5	Schrader	274
IB69128200	26X2.2/2.5	Presta	272
IB68570500	26X2.4/2.7	Schrader	399
IB68570600	26X2.4/2.7	Presta	397

## SELF-SEALING

• CST's dependable self-sealing bicycle tube will seal a puncture up to 1/8" in diameter - so leave your worries behind

Great for kids' bikes

• 0.97mm wall thickness

Item number	Inch size	Valve	Weight (g)
IB13900600	16X1.75/2.125	Schrader	213
IB29400300	20X1.75/2.125	Schrader	277
IB48442400	24X1.75/2.125	Schrader	311
IB62811100	26X1.75/2.125	Schrader	327
IB62811200	26X1.75/2.125	Presta	325

## THORN RESISTANT

- CST's Thorn Resistant bicycle tube keeps out even the worst thorns and sharp debris
- Great for commuters
- 3.6mm wall thickness

Item number	Inch size	Valve	Weight (g)
IB13900300	16X1.75/2.125	Schrader	290
IB29401900	20X1.75/2.125	Schrader	387
IB48705000	24X1.75/2.125	Schrader	476
IB62811400	26X1.75/2.125	Schrader	505
IB74203000	700X25/32, 27X1 <sup>1</sup> /8-1 <sup>1</sup> /4	Schrader	280
IB93968000	700X35/43, 27X1 <sup>3</sup> /8-1 <sup>3</sup> /4	Schrader	377

## **ULTRA LIGHT**

With a mere 0.6mm wall thickness, these tubes offer superior thinness, resulting in exceptional rolling resistance reduction. Perfect for road race and mountainbike enthusiasts, these tubes cater to various wheel sizes, including 26", 27.5", 29", and 700c. Experience the freedom of lightweight construction without compromising durability. Our ultralight tubes provide the perfect balance of weight savings and reliability. Upgrade to excellence in design and performance with our ultralight inner tubes.

Item number	Inch size	Valve	Weight (g)
IB00096000	27.5X1.90/2.125	Presta	143
IB00098600	29X1.90/2.35	Presta	151
IB00095600	700X18/25C	Presta	70

Always wear protective eyewear when installing inner tubes of tires.

## SUPERLIGHT

- CST's lightweight competition bicycle tube
- 0.73mm wall thickness
- All of the Presta Valves listed below are available in 48mm, 60mm, 80mm and 100mm valve lengths

Item number	Inch size	Valve	Weight (g)
IB24065200	20X1.50/1.75	Schrader	108
IB24065300	20X1.50/1.75	Presta	106
IB29402400	20X1.75/2.125	Schrader	127
IB29402500	20X1.75/2.125	Presta	125
IB62813600	26X1.75/2.125	Schrader	148
IB62813700	26X1.75/2.125	Presta	146
IB51475100	650X18/25	Schrader	87
IB51475200	650X18/25	Presta	85
IB69834400	700X18/25C	Schrader	86
IB69834500	700X18/25C	Presta	84















# BICYCLE TIRES GLOBAL

#### Cheng Shin Rubber (Xiamen) Ind., Ltd

No. 15 Xi Bin Road — Xing Lin Industrial District — Xiamen China 361022 T. + 86 592 6211606/6211346 F. + 86 592 6214649/6210420 www.csttires.com

#### Cheng Shin Rubber (USA) Inc.

545 Old Peachtree Road Suwanee, GA 30024, USA T. 1-800-245-4118 F. 1-770-962-7705 www.cstfires.com