

SAKURA®

2025 TBR TIRE RANGE



Size	Item number	PR	Load/Speed	Type	Pattern
6.50R16LT	ETL00056500	12PR	110/105K TT/TL	Mixed	SM332



Size	Item number	PR	Load/Speed	Type	Pattern
7.00R16LT	ETL00130800	14PR	118/114L TL	Rib	SR815EV
	ETL00130900	14PR	118/114L TL	Mixed	SM825EV
	ETL00122900	14PR	118/114M TL	Rib	SR212 II P
	ETL26039100	14PR	118/114L TL	Mixed	SM902 II



Size	Item number	PR	Load/Speed	Type	Pattern
7.50R16LT	ETL00138800	14PR	122/118L TT/TL	Rib	SR815
	ETL00105600	16PR	125/121L TT/TL	Rib	SR815
	ETL00138700	14PR	122/118L TT/TL	Mixed	SM825
	ETL00106400	16PR	125/121L TT/TL	Mixed	SM825
	ETL00122800	16PR	125/121M TL	Rib	SR212 II P
	ETL00106700	16PR	125/121L TT	Mixed	SM902 II



Size	Item number	PR	Load/Speed	Type	Pattern
8.25R16LT	ETL00054600	18PR	132/128M TT	Rib	SR212 II
	ETL00113800	18PR	132/128L TT	Mixed	SM902 II
	ETL00129600	18PR	132/128L TT	Mixed	SM902K
	ETL30603000	18PR	132/128L TT	Mixed	SM932 II
	ETL00113900	18PR	132/128L TT	Mixed	SM932K



Size	Item number	PR	Load/Speed	Type	Pattern
215/75R17.5	ETT00128400	16PR	135/133J TL	Rib	SR215

Size	Item number	PR	Load/Speed	Type	Pattern
235/75R17.5	ETT00084800	16PR	143/141J TL	Rib	SR215

Size	Item number	PR	Load/Speed	Type	Pattern
245/70R17.5	ETT00080300	18PR	143/141J TL	Rib	SR215



Size	Item number	PR	Load/Speed	Type	Pattern
245/70R19.5	ETT00111000	18PR	141/140K TL	Rib	CR285



Size	Item number	PR	Load/Speed	Type	Pattern
9.00R20	ETT00083400	16PR	144/142K TT	Mixed	SM606



Size	Item number	PR	Load/Speed	Type	Pattern
10.00R20	ETT00083600	18PR	149/146K TT	Mixed	SM606
	ETT00119300	18PR	149/146K TT	Mixed	SA951K



Size	Item number	PR	Load/Speed	Type	Pattern
12.00R20	ETT00126100	20PR	156/153K TT	Mixed	SA951
	ETT17006700	20PR	156/153K TT	Mixed	SM902
	ETT00108400	20PR	156/153K TT	Mixed	SL357K
	ETT00113300	20PR	156/153K TT	Mixed	SL557K



Size	Item number	PR	Load/Speed	Type	Pattern
9R22.5	ETT25051000	14PR	136/134L TL	Rib	SR211

Size	Item number	PR	Load/Speed	Type	Pattern
10R22.5	ETT25007100	16PR	144/142M TL	Rib	SR211



Size	Item number	PR	Load/Speed	Type	Pattern
11R22.5	ETT00006400	18PR	152/148J TL	Rib	CR105
	ETT00112400	18PR	149/146M TL	Rib	SR235
	ETT25177400	18PR	149/146M TL	Rib	SR268



Size	Item number	PR	Load/Speed	Type	Pattern
12R22.5	ETT00112600	18PR	152/149L TL	Rib	SR266
	ETT00111500	18PR	152/149L TL	Rib	SR169A P
	ETT25024100	20PR	154/151K TL	Mixed	SM601SR
	ETT00065100	18PR	152/149L TL	Mixed	SD711



Size	Item number	PR	Load/Speed	Type	Pattern
13R22.5	ETT00051300	20PR	156/153L TL	Rib	SR225SR
	ETT00033400	20PR	156/153K TL	Mixed	SM601SR



Size	Item number	PR	Load/Speed	Type	Pattern
275/80R22.5	ETT00112000	18PR	149/146M TL	Rib	SR266A
	ETT00089600	18PR	149/146M TL	Rib	SR215



Size	Item number	PR	Load/Speed	Type	Pattern
295/60R22.5	ETT00105300	18PR	150/147L TL	Rib	SR266




Size	Item number	PR	Load/Speed	Type	Pattern
295/80R22.5	ETT00080700	18PR	152/149J TL	Rib	CR105+
	ETT00120000	18PR	152/149M TL	Rib	SR266
	ETT00021400	18PR	152/149M TL	Rib	SR268



Size	Item number	PR	Load/Speed	Type	Pattern
315/80R22.5	ETT00119100	20PR	157/154L TL YS	Rib	SR266
	ETT00091300	18PR	154/151L TL	Rib	SR225 II
	ETT00090600	20PR	157/154L TL TWYS	Mixed	SM601
	ETT00077700	18PR	154/151L TL TWYS	Mixed	SD816HD



Size	Item number	PR	Load/Speed	Type	Pattern
425/65R22.5	ETT00075700	20PR	164K TL	Rib	CR297



SAKURA®

SAKURA TIRES

Cheng Shin Rubber (Xiamen) Ind., Ltd,
No.15 Xibin Road, Xinglin,
Jimei District, Xiamen, China
Tel: +86 592 6211606

